# Index


**/**

/usr/include/X11/bitmaps, 9
/usr/lib/X11/app-defaults, 14

**A**

A, note, **4**
app-defaults, 14
application defaults, 14
application header file, **4**
application programmer, **2**
Arg, **16**
ArgList, **16**
argument lists, **16**
AsciiSink object, 75, **83**, 84
  class name, 83
  resources, 83, 91
AsciiSink.h, 83
asciiSinkObjectClass, 83
AsciiSinkP.h, 83
AsciiSrc object, 75, **80**, 84
  class name, 80
  resources, 80
AsciiSrc.h, 80
asciiSrcObjectClass, 80
AsciiSrcP.h, 80
AsciiText widget, **75**, 84
  class name, 75
  resources, 76
AsciiText.h, 75
AsciiTextP.h, 75
asciiTextWidgetClass, 75

**B**

bitmap conversions, **9**
BitmapFilePath, **9**
bitmapFilePath, **9**
Box widget, **96**
  class name, 96
  layout semantics, 98
  resources, 97
Box.h, 96
BoxP.h, 96
boxWidgetClass, 96
ButtonPress, 121

**C**

C, note, **4**
CallbackProc, **12**
callbacks, 12
chapter format, **4**
child, 2
class header file, **4**
class name, **4**
class, **2**, **4**
client, **2**
Command widget, **19**
  actions, 22
  class name, 19
  resources, 20
  translation bindings, 22
Command.h, 19
CommandP.h, 19
commandWidgetClass, 19
compiling applications, 14
conventions:
  chapter format, **4**
  used in manual, **3**
conversions, **8**
  bitmap, **9**
  cursor, **8**
  pixel, **9**
Core widget, 116
creating new widgets, **116**
creating widgets, **7**
cursor, 8

**D**

D, note, **4**
destroyCallback, **13**
Dialog widget, 96, **99**
  automatically created children, 102
  class name, 99
  constraint resources, 101
  layout semantics, 101
  resources, 99
  special considerations, 102
Dialog.h, 99
DialogP.h, 99

dialogWidgetClass, 99

## E

events, 9
examples, 17

## F

fallback resources, **6**
FindPosition, 94
float resources:
  setting, 36
Form widget, 96, **103**
  class name, 103
  constraint resources, 105
  re-layout, 106
  resources, 103
Form.h, 103
FormP.h, 103
formWidgetClass, 103
fromHoriz, 101, 105
fromLeft, 102
fromVert, 101, 105
FullName, 2

## G

geometry management, 96
Grip widget, 19, **23**
  actions, 25
  class name, 23
  GripAction routine, 25
  GripAction table, 25
  resources, 23
Grip.h, 23
GripAction, 111, 112
GripCallData, **25**
GripCallDataRec, **25**
GripP.h, 23
gripWidgetClass, 23

## H

horizDistance, 101, 106

## I

initialization, **6**
input focus, **5**
input, **5**
instance, **2**
Intrinsic.h, 13
introduction, **1**

## J

jumpProc, 35, **36**

## K

KeyPress, 121

## L

Label widget, 19, **25**
  class name, 25
  resources, 25
Label.h, 25
LabelP.h, 25
labelWidgetClass, 25
libX11.a, 14
libXaw.a, 14
libXext.a, 14
libXmu.a, 14
libXt.a, 14
linking applications, 14
List widget, 19, **27**
  actions, 30
  callbacks, 30
  class name, 28
  default translation table, 30
  resources, 28
List.h, 27
ListP.h, 28
listWidgetClass, 28

## M

MenuButton widget, **57**
  actions, 60
  class name, 57
  resources, 57
MenuButton.h, 57
MenuButtonP.h, 57
menuButtonWidgetClass, 57
Menus, 48
  popup, 48
  pulldown, 48
  using, 48
method, **2**

## N

name:
  widget, **2**
notes, **4**

## O

object, **2**

## P

Paned widget, 96, **106**
  change height settings, 112
  class name, 106
  constraint resources, 110
  disable auto-reconfiguring, 113
  disable pane resizing, 112
  enable auto-reconfiguring, 113
  enable pane resizing, 112
  get height settings, 112
  getting the number of children, 113
  layout semantics, 110
  resources, 107
  using, 107
Paned.h, 106
PanedP.h, 106
panedWidgetClass, 106
parent, **2**
pixel, 9
popup, 18

## R

R, note, **4**
Radio button, 41
Radio groups, 41, 45
  one of many, 45
  zero or one of many, 45
radioData, 46
realizing widgets, **9**
resource, **2**, 7, 14
rgb.txt, 9

## S

scroll, 18
Scrollbar widget, 19, **32**
  actions, 35
  callbacks, 35
  class name, 32
  default translation table, 35
  resources, 33
  setting thumb values, 36
Scrollbar.h, 32
ScrollbarP.h, 32
scrollbarWidgetClass, 32
ScrollProc, **35**
SetSelection, **91**
Simple widget, 19, **37**
  class name, 37
  resources, 37
simple widgets, 19
Simple.h, 37
SimpleMenP.h, 49
SimpleMenu widget, **49**
  actions, 51
  class name, 49
  default translations, 51
  MenuPopdown routine, 52
  positioning, **52**
  resources, 49
SimpleMenu.h, 49
simpleMenuWidgetClass, 49
SimpleP.h, 37
simpleWidgetClass, 37
Sme object, 48, **56**
  class name, 56
  Highlight routine, 56
  Notify routine, 57
  subclassing, 56
  Unhighlight routine, 57
Sme.h, 56
SmeBSB object, 48, **53**
  class name, 53
  resources, 53
SmeBSB.h, 53
smeBSBObjectClass, 53
SmeBSBP.h, 53
SmeLine object, 48, **55**
  class name, 55
  resources, 55, 56
SmeLine.h, 55
smeLineObjectClass, 55
SmeLineP.h, 55
smeObjectClass, 56
SmeP.h, 56
string conversions, **8**
StringDefs.h, 13
StripCharP.h, 39
StripChart widget, 19, **39**
  class name, 39
  getting the value, 41
  getValue callback, **41**
  resources, 39
StripChart.h, 39
stripChartWidgetClass, 39
subclassing, **116**

superclass, **2**, 4

## T

Text widget, **84**
  actions, **64**
  class name, 84
  ConvertSelection, **90**
  customizing, **84**
  default key bindings, 61
  default translations, 70
  edit modes, 61
  file insertion, 63
  query replace, 62
  resources, 85
  search, 62
  Text Selections for Application Programmers, 69
  Text Selections for Users, 64
  User's Guide to the Text widget, 61
Text.h, 84
TextBlock, 72
TextBlockPtr, 72
TextP.h, 84
TextSink object, 84, **91**
  class name, 91
  ClearToBackground, **93**
  DisplayText, **92**
  FindDistance, **94**
  FindPosition, **93**
  GetCursorBounds, **95**
  InsertCursor, **92**
  MaxHeight, **95**
  MaxLines, **94**
  Resolve, **93**
  SetTabs, **95**
  subclassing, **91**
TextSink.h, 91
textSinkObjectClass, 91
TextSinkP.h, 91
TextSrc object, 84, **87**
  class name, 87
  Read, **88**
  Replace, **89**
  resources, 88
  Scan, **89**
  Search, **90**
  subclassing, **88**
TextSrc.h, 87
textSrcObjectClass, 87
TextSrcP.h, 87
textWidgetClass, 84
Toggle widget, 19, **41**
  actions, 44
  class name, 41
  default translation table, 44
  resources, 42
  used in radio groups, 41
Toggle.h, 41
ToggleP.h, 41
toggleWidgetClass, 41
toolkit initialization, **6**
type conversions, **8**

## U

underlying model, **3**
user, **2**
using widgets, **6**

## V

vertDistance, 101, 106
Viewport widget, 96, **113**
  class name, 113
  layout semantics, 115
  resources, 113
Viewport.h, 113
ViewportP.h, 113
viewportWidgetClass, 113

## W

widget class, **3**
widget creation, **7**
widget programmer, **3**
widget, **3**
widgetClass, 116
Window widget, 116
writing applications, 13

## X

X11/Intrinsic.h, 13
X11/Xaw/Command.h, 13
X11/Xaw/Label.h, 13
X11/Xaw/Template.c, 117, 120
X11/Xaw/Template.h, 117
X11/Xaw/TemplateP.h, 117, 119
X11/Xlib.h, 13
XawAsciiFile, 80
XawAsciiSave, **82**, 83
XawAsciiSaveAsFile, **82**
XawAsciiSourceChanged, **83**
XawAsciiSourceFreeString, **82**, 102
XawAsciiString, 80
XawChain, 101, 106

XawChainBottom, 102, 106
XawChainLeft, 102, 106
XawChainRight, 102, 106
XawChainTop, 102, 106
XawDialogAddButton, **103**
XawDialogGetValueString, **102**
XawEdgeType, 101, 105
XawEditDone, 72, 89
XawEditError, 72, 89
XawFormDoLayout, **106**
XawListChange, **31**
XawListHighlight, **31**
XawListReturnStruct, **30**, 32
XawListShowCurrent, **32**
XawListUnhighlight, **31**
XawOrientHorizontal, 98
XawOrientVertical, 98
XawPanedAllowResize, **112**
XawPanedGetMinMax, **112**
XawPanedGetNumSub, **113**
XawPanedSetMinMax, **112**
XawPanedSetRefigureMode, **113**
XawPositionError, 72, 89
XawPositionSimpleMenu, **52**, 53
XawRubber, 101, 102, 105, 106
XawScrollbarSetThumb, **36**
XawScrollbarThumb, 36
XawsdLeft, 89, 90
XawsdRight, 89, 90
XawselectAll, 69
XawselectChar, 69
XawselectLine, 69
XawselectNull, 69
XawselectParagraph, 69
XawselectPosition, 69
XawselectWord, 69
XawSimpleMenuAddGlobalActions, **53**
XawSimpleMenuClearActiveEntry, **53**
XawSimpleMenuGetActiveEntry, **53**
XawstAll, 89
XawstEOL, 89
XawstParagraph, 89
XawstPosition, 89
XawstWhiteSpace, 89
XawtextAppend, 78, 81, 88
XawTextBlock, **72**
XawTextDisableRedisplay, **73**
XawTextDisplay, **74**
XawTextDisplayCaret, **75**
XawtextEdit, 78, 81, 88
XawTextEnableRedisplay, **73**
XawTextGetInsertionPoint, **74**
XawTextGetSelectionPos, **72**
XawTextGetSource, **75**
XawTextInvalidate, **73**
XawtextRead, 78, 81, 88
XawTextReplace, 61, **72**
XawtextResizeBoth, 78, 86
XawtextResizeHeight, 78, 86
XawtextResizeNever, 78, 86
XawtextResizeWidth, 78, 86
XawtextScrollAlways, 78, 87
XawtextScrollNever, 78, 87
XawtextScrollWhenNeeded, 78, 87
XawTextSearch, **73**
XawTextSearchError, 90
XawTextSetInsertionPoint, **74**
XawTextSetSelection, **71**
XawTextSetSelectionArray, 69, **74**
XawTextSetSource, **74**
XawTextSinkClearToBackground, 92
XawTextSinkDisplayText, 92
XawTextSinkFindDistance, 92
XawTextSinkFindPosition, 92
XawTextSinkGetCursorBounds, 92
XawTextSinkInsertCursor, 92
XawTextSinkMaxHeight, 92
XawTextSinkMaxLines, 92
XawTextSinkResolve, 92
XawTextSinkSetTabs, 92
XawTextSourceConvertSelection, 88
XawTextSourceRead, 88
XawTextSourceReplace, 88
XawTextSourceScan, 88
XawTextSourceSearch, 88
XawTextSourceSetSelection, 88
XawTextTopPosition, 74
XawTextUnsetSelection, **71**
XawtextWrapLine, 79, 87
XawtextWrapNever, 79, 87
XawtextWrapWord, 80, 87
XawToggleChangeRadioGroup, **46**
XawToggleGetCurrent, **46**
XawToggleSetCurrent, **46**
XawToggleUnsetCurrent, **46**
XAW_LIST_NONE, 32
xboxes, 18
xbuttonbox, 18
xcommand2, 17
xcommand, 17
xhw, 17
xlabel, 17
xlist, 17
xmenu1, 18
xmenu2, 18
xrdb, 14

XrmParseCommand, 6
XtAddCallback, **12**, 13
XtAddCallbacks, 12
XtAppInitialize, **6**, 9, 13
XtAppMainLoop, **9**, 13
XtCallbackList, **12**
XtCallbackProc, 12
XtCallbackRec, **12**
XtCreateManagedWidget, **7**, 13
XtCreateWidget, 10, 12
XtDefaultBackground, 8, 9
XtDefaultForeground, 8, 9
XtDestroyWidget, **11**
XtError, 7
xtext, 18
XtGetApplicationResources, 15
XtGetValues, **11**, 12, 122
XtInheritClearToBackground, 92, 93
XtInheritConvertSelection, 88
XtInheritDisplayText, 92
XtInheritFindDistance, 92
XtInheritFindPosition, 92
XtInheritGetCursorBounds, 92
XtInheritInsertCursor, 92
XtInheritMaxHeight, 92
XtInheritMaxLines, 92
XtInheritRead, 88
XtInheritReplace, 88
XtInheritResolve, 92
XtInheritScan, 88
XtInheritSearch, 88
XtInheritSetSelection, 88
XtInheritSetTabs, 92
XtManageChildren, **10**
XtMapWidget, **10**
XtMoveWidget, 96
XtN, **13**
XtNameToWidget, 102, 115
XtNcallback, 13
XtNinput, **5**
XtNumber, 16, 17
XtOrientHorizontal, **98**
XtOrientVertical, **98**
XtRealizeWidget, 7, **9**, 10, 13
XtResizeWidget, 96
XtSetArg, **16**
XtSetMappedWhenManaged, **10**
XtSetValues, **11**, 12, 96, 117, 118
XtWindow, 122
xwidgets, 18

**_**

_in_out, **3**
_return, **3**